



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/736,828	12/13/2000	Charles Ritz	321802-1020	8665

24504 7590 11/15/2002

THOMAS, KAYDEN, HORSTEMEYER & RISLEY, LLP
100 GALLERIA PARKWAY, NW
STE 1750
ATLANTA, GA 30339-5948

EXAMINER

THISSELL, JENNIFER I

ART UNIT	PAPER NUMBER
----------	--------------

3635

DATE MAILED: 11/15/2002

Please find below and/or attached an Office communication concerning this application or proceeding.

BEST AVAILABLE COPY

Office Action Summary

Application No.

09/736,828

Applicant(s)

RITZ, CHARLES

Examiner

Jennifer I Thissell

Art Unit

3635

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 04 November 2002.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-29 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-29 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Moore ('402) in view of Pennell et al. ('566). Moore teaches a foundation 15,37, a pole tower 29 (or means for absorbing bending moments) fixedly attached to the foundation, a self-supported tower 13 fixedly attached to the foundation, the pole tower extends through the self-supported tower, the pole tower is attached to the self-supporting tower at a midpoint and interface of the self-supporting tower sections (seen in Figures 1a and 1b), there is communication equipment 55 attached to the pole tower, the pole tower is sectional and hollow, the self-supporting tower is comprised of at least two sections, and the communication equipment is mounted at a point above the top end of the self-supported tower.

Moore teaches a self-supported tower, not a guyed tower surrounding the pole tower. However, guyed towers and self-supported towers are both conventional towers and are well known in the art to support antennas, as taught by Pennell (column 5, lines 27-35). Pennell indicates that self-

Art Unit: 3635

supporting towers or guyed towers could be utilized in his invention. Guyed towers and self-supporting towers are considered functional equivalents in the art, therefore it would be obvious to one having ordinary skill in the art at the time the invention was made to use a guyed tower with Moore's pole tower.

It does not state that the pole tower and guyed tower are separated by about one quarter inch. However, it would have been obvious to one having ordinary skill in the art at the time the invention was made to separate the towers by a quarter inch, since discovering the optimum value of a result effective variable involves only routine skill in the art.

Moore does not teach the method for supporting equipment or increasing a load capacity. However, since all of the structural elements have been disclosed or discussed above, the steps of erecting, attaching, lowering, securing, and inserting would be considered obvious method steps to one having ordinary skill in the art at the time the invention was made.

Response to Arguments

Applicant's arguments with respect to the claims have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jennifer I Thissell whose telephone

Art Unit: 3635

number is (703) 306-5750. The examiner can normally be reached Monday through Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Carl Friedman can be reached on (703) 308-0839. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 872-9326 for regular communications and (703) 872-9327 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-2168.



November 14, 2002



Carl D. Friedman
Supervisory Patent Examiner
Group 3600